



MILITARY AIRFIELD LIGHTING TRAILER



**BACKUP
RUNWAY LIGHTING**

**TEMPORARY
RUNWAY LIGHTING**

**TEMPORARY RUNWAY LIGHTING
AT FORWARD OPERATING AIRBASE**

MILITARY AIRFIELD LIGHTING TRAILER



**WORLD'S SAFEST
RUNWAY LIGHTING**



**5-LEVEL PROTECTION
AGAINST SYSTEM FAILURE**



CERTIFIED

APPLICATIONS



**TEMPORARY
RUNWAY
LIGHTING**

**AT FORWARD
OPERATING AIRBASE**



**TEMPORARY
RUNWAY
LIGHTING**



**BACKUP
RUNWAY
LIGHTING**

MILITARY AIRFIELD LIGHTING TRAILER

S4GA PORTABLE AIRFIELD LIGHTING TRAILER IS HEAVY DUTY TRAILER MADE OF NON-CORROSIVE STEEL AND ALLUMINIUM RESISTANT TO THE MOST RIGOROUS WEATHER CONDITIONS.

DROP-IN CHARGING


- ✓ Only 10 min required to connect 130 lights
- ✓ Charging time: 8 hours
- ✓ Charging starts instantly



AUTOMATIC LIGHT FAILURE REPORTING

System sends User notifications about light failures:

- ✓ Low battery level
- ✓ Light is offline



UP TO 130X PORTABLE LIGHTS

NVG - compatible



PORTABLE FULL PAPI




POWER BANK WITH GENERATOR

REMOTE ACTIVATION OF THE LIGHTS



DROP-IN CHARGING



AUTOMATIC LIGHT FAILURE REPORTING



TRAILER VIEW

TRAILER PRODUCTS



SP-401 LED RUNWAY EDGE LIGHT



SP-401 LED RUNWAY THRESHOLD END LIGHT



SP-401 LED TAXIWAY LIGHT



UR-101 HANDHELD CONTROLLER



SP-401 PORTABLE AIRFIELD LIGHT

Portable airfield light designed to quickly illuminate remote airfield, temporary runway, or emergency landing strip in accordance with international aviation regulations.



COMPLIANCE



180 HOURS OF AUTONOMY

The light is equipped with two large batteries providing up to 180 hours of autonomy without recharging. If any of batteries fails, the second battery will continue to power the light.



REMOTE CONTROL

The lights are controlled remotely via UR-101 Handheld Controller. It allows to control up to 5 groups of lights, and adjust intensity level in 3 steps (10, 30, 100 %)



WEATHER RESISTANT

- ✓ IP-67 certified
- ✓ 20+ years lifespan
- ✓ Designed for extreme operating conditions



CONVERTIBLE TO SOLAR

SP-401 portable airfield light can be easily converted to a solar-powered airfield light for permanent applications.



	Runway Edge Light	Runway Threshold End Light	Taxiway Light
Optics	LED type LED lifespan 100.000 Hrs Combined type of bidirectional and omnidirectional	LED type LED lifespan 100.000 Hrs Bidirectional	LED type LED lifespan 100.000 Hrs Omnidirectional
Light Output	1.200 cd	320 (red) / 450 (green) cd	11 cd
Optics Color	White / White White / Yellow Yellow / Red White / Red	Red / Green	Blue
Autonomy	180 Hours	280 Hours	600 Hours
Battery	2 X built-in batteries, VRLA deep-cycle type, 9Ah/12V each battery user-replaceable		
Power Supply	Drop-in charging in a trailer, charging time – 8 hours		
Casing / Dome	UV-stabilized Lexan polycarbonate, Glass dome, Color: aviation yellow		
Dimensions	300 x 245 x 185 mm		
Weight	7 Kg		

TRAILER




Capacity	130x portable airfield lights 1x mobile full PAPI system
Charging Of Lights	Drop-in charging Via power cable (optionally)
Power Source	110 – 230VAC Generator (optionally)
Material	Walls: aluminium Chassis: stainless steel
Color	Olive green, other colours are available
Suitable For Air Transport	Yes

UR-101 HANDHELD CONTROLLER



Operating Range	Up to 1.500 m, repeatable, mesh-network
Frequency	Automatically modulated and encrypted Radio transceiver: 868 mhz
Autonomy	48 Hrs
Battery	Lithium-ion battery, 7V / 4Ah
Lighting System Control	Lights intensity setup: 10, 30, 100% Operating modes setup: steady, flashing Special modes setup: NVG, dusk till down Grouping of lights: up to 5 groups
Protective Case Included	Yes
Compliance	2014/35/UE 2014/30/UE 2011/65/UE 1999/5/EC

TRAILER PHOTOS





S4GA Sp. z o. o.
26-600 Biznesowa 4
Radom, Poland

WORLD'S SAFEST RUNWAY LIGHTING

www.solutions4ga.com
+48 (22) 270 10 29 | office@solutions4ga.com