




PORTABLE HELIPAD LIGHTING KIT



PORTABLE HELIPAD LIGHTING KIT



PORTABLE HELIPAD LIGHTING KIT

For helipads, S4GA offers Portable Helipad Lighting Kit compliant with ICAO requirements. The Kit allows to illuminate temporary helipad within few minutes.

- 

10 KM VISIBILITY RANGE
- 

25 HOURS OF AUTONOMY
- 

NVG - COMPATIBLE



6X



PORTABLE
HELIPAD LIGHTS

6X



MOUNTING STAKES
FOR GRASS

1X



CHARGER



WATERPROOF



ICAO COMPLIANT



2X

MOBILE
PROTECTIVE CASES



PORTABLE HELIPAD LIGHTS



	TLOF Light	FATO Light
Optics	LED type LED lifespan: 100.000 hrs Omnidirectional Color: green NVG-compatible (optional)	LED type LED lifespan: 100.000 hrs Omnidirectional Color: white NVG-compatible (optional)
Charging Of Lights	36 hours	25 hours
Operating Modes	Steady / Flashing / Dusk till dawn Visible / Infrared (optional) / Visible+Infrared (optional)	
Light Intensity	3-step: 10%, 30%, 100%	
Battery	VRLA type, 6V, 4,5Ah User-replaceable Air-transportable	
Charging	OCT-102 Charger Charging time: 8 hours Optional: 5W solar panel	
Casing	Aluminum body Outer UV-resistant glass dome (optional: polycarbonate) Pressure stabilizing valve Battery level indicator Casing lifespan: 15 years	
Environmental Conditions	Temperature range: -20 to 50 °C (-4 to 122 °F) Optional: -40 to 80 °C (-40 to 176 °F) Ingress protection: IP-65 Wind Speed: 160 kph	
Dimensions (Height x Diameter)	210 x 125 mm	
Weight	2 kg	
Compliance	ICAO Annex 14, Volume II, Helipads	

ACCESSORIES




OCT-102 CHARGER

Charges up to 6 x portable
airfield lights
Charging time: 8 hours
Power input: 110 / 230V



MOUNTING FOR GRASS

Mounting stake
made of galvanized steel
for grass/ground surface



PROTECTIVE CASES

CASE FOR SP-102 LIGHTS

- 6 x SP-102 airfield lights
- Shock-absorbent
- Rigid design
- Dimensions: 56.4 x 46.5 x 48 cm
- Weight (empty): 7.8 kg



CASE FOR ACCESSORIES

- 1 x OCT-102 Charger
- 6 x mounting stakes
- Dimensions: 56.4 x 46.5 x 31 cm
- Weight (empty): 4.35 kg



PROTECTIVE FOAM



WHEELS FOR EASY
TRANSPORTATION



TELESCOPIC
CARRYING HANDLE



LOCKABLE SYSTEM

YOU CAN ALSO ORDER



SOLAR UPGRADE

SP-102 portable light can be
converted to solar-powered helipad light
by adding 5W solar panel



RUBBER PAD

Rubber pad
for temporary mounting



FRANGIBLE MOUNTING

Frangible mounting
for asphalt surface

SHIPPING DATA



PROTECTIVE CASE 1

Equipped with 6 x SP-102 lights
Dimensions: 56.4 x 46.5 x 48 cm
Total weight: 25 kg



PROTECTIVE CASE 2

Equipped with OCT-102 Charger and
6 x mounting stakes for grass
Dimensions: 56.4 x 46.5 x 31 cm
Total weight: 12 kg



S4GA Sp. z o. o.
26-600 Biznesowa 4
Radom, Poland

WORLD'S SAFEST RUNWAY LIGHTING

www.solutions4ga.com
+48 22 270 10 29 | office@solutions4ga.com