




# PORTABLE HELIPAD LIGHTING KIT



## PORTABLE HELIPAD LIGHTING KIT



# PORTABLE HELIPAD LIGHTING KIT

For helipads, S4GA offers Portable Helipad Lighting Kit compliant with ICAO requirements. The Kit allows to illuminate temporary helipad within few minutes.

- 10 KM VISIBILITY RANGE
- 25 HOURS OF AUTONOMY
- NVG - COMPATIBLE



**6X** PORTABLE HELIPAD LIGHTS



**6X** MOUNTING STAKES FOR GRASS



**1X** CHARGER



**2X** MOBILE PROTECTIVE CASES



## PORTABLE HELIPAD LIGHTS



	TLOF Light	FATO Light
Optics	LED type LED lifespan: 100.000 hrs Omnidirectional Color: green NVG-compatible (optional)	LED type LED lifespan: 100.000 hrs Omnidirectional Color: white NVG-compatible (optional)
Charging Of Lights	36 hours	25 hours
Operating Modes	Steady / Flashing / Dusk till dawn Visible / Infrared (optional) / Visible+Infrared (optional)	
Light Intensity	3-step: 10%, 30%, 100%	
Battery	VRLA type, 6V, 4,5Ah User-replaceable Air-transportable	
Charging	OCT-102 Charger Charging time: 8 hours	
Casing	Aluminum body Outer UV-resistant glass dome (optional: polycarbonate) Pressure stabilizing valve Battery level indicator Casing lifespan: 15 years	
Environmental Conditions	Temperature range: -20 to 50 °C (-4 to 122 °F) Optional: -40 to 80 °C (-40 to 176 °F) Ingress protection: IP-65 Wind Speed: 160 kph	
Dimensions (Height x Diameter)	210 x 125 mm	
Weight	2 kg	
Compliance	ICAO Annex 14, Volume II, Helipads	

## PROTECTIVE CASES

### CASE FOR SP-102 LIGHTS

- 6 x SP-102 airfield lights
- Shock-absorbent
- Rigid design
- Dimensions: 56.4 x 46.5 x 48 cm
- Weight (empty): 7.8 kg



### CASE FOR ACCESSORIES

- 1 x OCT-102 Charger
- 6 x mounting stakes
- Dimensions: 56.4 x 46.5 x 31 cm
- Weight (empty): 4.35 kg




PROTECTIVE FOAM



WHEELS FOR EASY TRANSPORTATION



TELESCOPIC CARRYING HANDLE



LOCKABLE SYSTEM

## YOU CAN ALSO ORDER



RUBBER PAD

Rubber pad for temporary mounting



FRANGIBLE MOUNTING

Frangible mounting for asphalt surface

## ACCESSORIES



### OCT-102 CHARGER

Charges up to 6 x portable airfield lights  
Charging time: 8 hours  
Power input: 110 / 230V



### MOUNTING FOR GRASS

Mounting stake made of galvanized steel for grass/ground surface



## SHIPPING DATA



### PROTECTIVE CASE 1

Equipped with 6 x SP-102 lights  
Dimensions: 56.4 x 46.5 x 48 cm  
Total weight: 25 kg



### PROTECTIVE CASE 2

Equipped with OCT-102 Charger and 6 x mounting stakes for grass  
Dimensions: 56.4 x 46.5 x 31 cm  
Total weight: 12 kg



---

S4GA Sp. z o. o.  
26-600 Biznesowa 4  
Radom, Poland

**WORLD'S SAFEST RUNWAY LIGHTING**

[www.solutions4ga.com](http://www.solutions4ga.com)  
+48 22 270 10 29 | [office@solutions4ga.com](mailto:office@solutions4ga.com)